

**GREEN EARTH®  
LIME SULPHUR  
Concentrate**

**Insecticide - Fungicide**

Solution

For fruits, roses and other ornamental plants.  
For both dormant and summer season use.

DOMESTIC

REG. NO. 7386 P.C.P. ACT

GUARANTEE: Calcium Polysulphide 23%

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

DANGER - CORROSIVE TO EYES

500 mL (1 L, 2 L)

Sure-Gro IP Inc.,  
P.O. Box 21001,  
Brantford, ON N3R 7W9  
1-800-268-2806

**DIRECTIONS FOR USE:**

**SHAKE WELL BEFORE USING:** Lime Sulphur should mainly be used as a **DORMANT SPRAY** to clean up overwintering insects and disease infections. During the summer further applications with Lime Sulphur or Green Earth<sup>®</sup> Insecticides or Fungicides are necessary to keep plants free from pests. Lime Sulphur may only be mixed with **Green Earth<sup>®</sup> Horticultural Oil**, not with any other products. Use only with a handheld pump sprayer or backpack sprayer or as spot treatment. Do not apply during or shortly before temperature reaches 27°C or higher. Shake spray solution while spraying. Lime Sulphur stains painted wood, brick and stone. Prevent from freezing. **DO NOT** apply by air.

**FRUIT TREES:** As Dormant Spray, apply before buds break, to control Blister and Rust Mites, Scale Insects, Pear Scale, Red Mite Eggs, Aphid Eggs, Twig Borer, Plum Black Knot and Peach Leaf Curl. Mix 100 mL in 1 L of water (½ of this one litre container in 5 L of water).

**APPLE AND PEAR:** During summer use 15 mL (1 tablespoonful) per litre of water just before and again after blossoming to control powdery mildew, apple and pear scab; repeat 10 and 20 days after end of blossoming. Do not apply on plum in leaf and never on apricot. **The apple variety "Delicious" may be injured by summer spraying with Lime Sulphur.**

**RASPBERRY, BLACKBERRY AND LOGANBERRY:** To control rust, anthracnose, cane and spur blight, apply 100 mL in 1 L of water when buds break.

**CURRENT, GOOSEBERRY:** To control mildew, rust and scale insects, apply 100 mL in 1 L of water just before buds break. Apply 60 mL (4 tablespoonfuls) in 3 L of water just before blossoms open and repeat weekly after bloom until fruit colours. May be used up to 1 day before harvest.

**ROSES:** To control Rose scale, canker and black spot make dormant application before buds break, using 100 mL in 1 L of water. For black spot and mildew during summer use 5 mL (1 teaspoonful) in 3 L of water every one to two weeks.

**TREES AND SHRUBS:** As Dormant Spray to control scale insects on bark and needles, also Maple gall mite, use 100 mL in 1 L of water; for Spruce gall aphid use 30 mL (2 tablespoonfuls) in 1 L of water before new growth starts.

**COMBINATION DORMANT SPRAY:** Fruit trees, roses and deciduous ornamentals. For over-wintering insects, eggs, oyster shell scale, San Jose scale, rose scale, black scale as well as over-wintering fungus disease; mix 120 mL (8 tablespoonfuls) **Green Earth<sup>®</sup> Lime Sulphur** and 60 mL (4 tablespoonfuls) **Green Earth<sup>®</sup> Horticultural Oil** in 3 L of water.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. CORROSIVE to the eye. DO NOT get in eyes. Avoid contact with skin. Wear a long-sleeved shirt, long pants, chemical resistant (rubber) gloves when handling. Wash after use. Avoid staining clothing and skin.

**FIRST AID:** **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing**, taking off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**ENVIRONMENTAL HAZARDS:** TOXIC to aquatic organisms.

**DISPOSAL:** Do not reuse empty container. Dispose of empty container with regular garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.  
[www.greenearth.ca](http://www.greeneearth.ca)**

® Sure-Gro Holdings Inc. / Lic. Sure-Gro

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.