

2012-2619

2013-03-01

Safer's
END-ALL II
Miticide/Insecticide/Acaricide
Concentrate

Solution

Controls all stages of aphids, whitefly, scale, spider mites, and mealybugs on indoor houseplants and greenhouse plantings; and aphids, caterpillars, beetles and other listed insects on fruit trees, landscape trees, ornamentals, flowers, shrubs, vegetables and chinch bug on turf.

Eggs
Nymphs
Adults

GUARANTEE: Potassium salts of fatty acids 20.0%
Pyrethrins 0.2%

REG. NO. 22299 P.C.P. ACT
KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING
DOMESTIC

NET CONTENTS
500 mL

CONCENTRATE

Woodstream Canada Corporation
Unit 1
25 Bramtree Court
Brampton, ON L6S 6G2

Tel: (800) 800-1819

Safer's End-All II Miticide Insecticide Acaricide Concentrate is a fast-acting, short-lived product for the control of all stages of insects. When insects appear, spray all plant parts including upper and lower leaf surfaces. Hold container upright when spraying. Insects must be sprayed to be killed.

DIRECTIONS FOR MIXING: Add 50 mL of Safer's End-All II Miticide/Insecticide/Acaricide concentrate to 1 litre of water. Mix thoroughly.

DIRECTIONS:

Indoor Use: Controls aphids, whitefly, scale, spider mites, and mealybugs indoors on houseplants and greenhouse plantings: spray insects to wet when they first appear. Repeat 10-14 days later if necessary.

Outdoor use for control of aphids, caterpillars, leafhoppers, earwigs, whitefly, beetles and chinch bug on fruit trees, landscape trees, ornamentals, flowers, shrubs, vegetables and chinch bug on turf: spray insects to wet when they first appear. Repeat 10-14 days later if necessary. May be used on edible crops up to the day before harvest. Wash fruits and vegetables before use.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Product can cause skin and eye irritation. Avoid contact with skin and eyes. Do not apply to blossoms or when temperatures exceed 28° C . Do not spray plants in direct sunlight. This product is toxic to fish. Do not apply where runoff may occur. Do not contaminate lakes, streams or ponds. Do not use on sweetpeas, nasturtiums, delicate ferns or impatiens. Spinach and schizanthus may be sensitive to foliar spraying. If in doubt about a sensitive species, perform a small-scale test spray before treating the entire plant.

FIRST AID: IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. Call poison control center or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.